

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Roundup Public Schools** 33 Musselshell Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # **1BAAHCPH7YF091992** 2000 159 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C6 C18 Stop lamps Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Roundup Public Schools** 33 Musselshell Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # **1BAAHCPH9YF091993** 2000 160 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No. Signature of District Official Date



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Roundup Public Schools** 33 Musselshell Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BABMC7AOKF030509 1989 122 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Roundup Public Schools** 33 Musselshell Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BAKBCK75F226171 2005 192 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C6 C18 Stop lamps Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highway Patrol as soon as all defects are corrected.													
Instructions to OPI from School District:													
This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.													
OPI County # and County Name District Name													
or roounty # and oounty warne				District realite									
	33 Musselshel	I					Rou	ndup Pul	olic Scl	hools			
Vehic	le I.D. # (VIN) - Entire Number		Мо	del Ye	ear	Licen			Rated C	Capacity	****		
	4D 41/D 01/11055000450						400				40		
	1BAKBCKH95F226172			200			193	Dua Tura	/ 0 f	l - 6 ' '	48		
Chass	sis Make			1	Body Mal	ке		Bus Type:	(see ? id	or defini	tion)		
	Bluebird					Blu	ebird	\Box A	□ B 🤄	✓ C	\Box D		
Whee	l Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?								
		I □ .		J = -	· · · ·	¬ ∧:-ı	- Casina - A N	-4 A I'	l- I -				
☐ Ye			orwar					ot Applica					
Туре	of Fuel:	Is B	us: 🗸	Distri	ct Owned	ı	ontractor Owned If co	ontractor ow	ned, cont	tractor's	name	s:	
□ G	as ☑ Diesel ☐ Other												
		_				CTION	0111111111						
	-						GHWAY PATROL						
	Ihis	inspect	ion is fo		1s	t semes	ster 2nd semes	ster					
Dow-	Itomo liotad in the Ctandard	Vac	- ' '	oved	C 2	Done	Items listed in	the Cter-Ir	do	Vac		roved NA	Corr
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach		i i u				
C18	Head lamps		1			C18	Interior lamps	Cu		1			
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)		1			C14	Floor			1			
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					C22	C22 Tools - storage						
C18	Windshield					C24 Windows							
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency do	oor					
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear					
C6 C6	Head lamp indicator Horn					C18	Stop lamps Marker lamps - rear						
	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt	1				C5	Fuel tank						1
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min	.)				
C13	Fire extinguisher (5 lbs)						Cleanliness						
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest r	_					
C6	Heaters						Shovel (securely fast						
	Wheelchair forward facing (post 1993)		(005 = =	<u> </u>			Axe (securely fastene			<u> </u>	<u> </u>		
	umber reference, Standards for School Buses in I not apply. ***New buses ordered after 08/15/02.**										driver.		
		Daset	, on ongi	iai vape	acity iisteu				ao ino bus.				
On fir	st inspection, this bus is:					On re	inspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspec	cting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge	. No.	Date				Badge	No.			Date			
		Dute				_				- Juic			
oignai	ture of District Official					Date							
						1							



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Roundup Public Schools** 33 Musselshell Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GBHG31F1Y1109676 2000 162 Bus Type: (see ? for definition) Chassis Make Body Make \Box B \Box C **✓** A \Box D Chevrolet **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Roundup Public Schools** 33 Musselshell Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 180 1GBL7T1C22J507339 2003 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D Chevrolet **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ✓ Yes ☐ No ✓ Forward Facing ☐ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Page No NA Items listed in the Standards Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Roundup Public Schools** 33 Musselshell Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GBL7T1C32J507138 2003 179 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D Chevrolet **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Roundup Public Schools** 33 Musselshell Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GBL7T1C61J508380 2002 174 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D Chevrolet **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Instructions to OPI from School District:

Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.													
OPI County # and County Name					District Name								
33 Musselshell					Roundup Public Schools								
Vehic	tle I.D. # (VIN) - Entire Number		Mod	lel Y	/ear	Licen		iluup Fu	Rated 0		/ ****		
7 010	, ,									o ap a o,			
Chac	1GBL7T1C91J508468 sis Make			20	002 Body Mal	(n	173	Bus Type	· (see 2 f	or defin	48		
Cilas	SIS IVIANG				Body Mai	ve.		_					
1471	Chevrolet	T 14/1	101 : 1				ebird	□ A	В	✓ C			
	el Chair Lift Equipped?				Equipped?								
		_	orward	l Fa	acing	_ Aisl	e Facing 💆 N	ot Applic	able				
Туре	of Fuel:	Is B	us: 🗸 [Dist	rict Owned	I 🗌 C	ontractor Owned If co	ontractor ov	vned, con	tractor's	name	is:	
□	as ☑ Diesel ☐ Other												
					_	CTION							
	-				_		GHWAY PATROL						
	This	inspect	ion is for:			t semes	ster 2nd semes	ster			A n.n.	roved	
Page	Items listed in the Standards for School Buses in Montana	Yes		NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
No.*	Identification - front					C34	Belt cutter **** attach		ana				
C18	Head lamps					C18	Interior lamps	ou					
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9 C22	Aisle						
C18	Marker lamps - front Windshield	1				C24	Tools - storage Windows						
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency do	or					
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator Horn					C18	Stop lamps Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no le	eaks)					
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front mii	า.)				
C13	Fire extinguisher (5 lbs)	<u> </u>				000	Cleanliness						-
C13	First aid kit Body fluids kit	1				C22 C5	Stop arm No trailer hitch						-
C11	Defroster					00	Required by forest r	egulation:					
C6	Heaters						Shovel (securely faste						
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	ed)					
	umber reference, Standards for School Buses in I not apply. ***New buses ordered after 08/15/02.**										driver.		
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspe	cting Patrol Officer:					Inspecting Patrol Officer:							
Badge	e No	Date				Badge	e No			Date _			
Siana	ture of District Official		·	_	·	Date		·					·



Approved

Not Approved

Inspecting Patrol Officer:

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Roundup Public Schools** 33 Musselshell Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GBL7T1J45J101772 1995 98 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D Chevrolet **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is:

Badge No. _____ Date _____ Badge No. _____ Date ______

Signature of District Official Date _______

TR-13 Revised 11/04

Approved

Not Approved

Inspecting Patrol Officer:



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Roundup Public Schools** 33 Musselshell Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GBL7T1J85J101693 1995 184 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D Chevrolet **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highw	Highway Patrol as soon as all defects are corrected.												
Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
Please make corrections noted below. Don't black out the error, OPI may need to read it to ma						ection.							
OPIC	County # and County Name					Distri	ct Name						
	33 Musselshel	l					Rou	ndup Pu	blic Sc	hools			
Vehic	le I.D. # (VIN) - Entire Number		Мо	del Ye	ear	Licen	se #		Rated Capacity *****				
	1GDL6P1P3MV500044			199	91		84			71			
Chas	sis Make				Body Mak	е		Bus Type	ype: (see ? for definition)				
	GMC					١٨	/ard	\square A	□в	✓ C	C D		
Whee	l Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?		raiu						
□ Ye							o Fooing	ot Applie	abla				
			orwar				<u>-</u>	ot Applica					
• •	of Fuel:	IS B	us: 🗸	DISTRI	ct Owned		ontractor Owned If co	ontractor ov	vnea, con	tractors	name	S.	
✓ G	as												
					INSPE	CTION							
					OUT BY	THE HI	GHWAY PATROL						
	This	inspect	ion is fo		1s	t semes	ster 2nd seme	ster					
Page	Items listed in the Standards	Yes	Appr No	oved NA	Corr	Dogo	Items listed in	the Standa	rdo	Yes	App No	roved NA	Corr
No.*	for School Buses in Montana	168	INO	**	Con	Page No.*	for School Bus			165	INO	**	Con
C17	Identification - front					C34	Belt cutter **** attach	ed				†	
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating					ــــــ	
C18	Turn signal lamps - side (post 1987)					C14	Floor					 	
C18	Red amber signals - front				-	C9	Aisle					Ь—	
C18	Marker lamps - front Windshield					C22 C24	Tools - storage Windows					├	_
C18	Windshield wipers				+	C13	Warning device					\vdash	+
C20	Exterior mirrors				+	C13	Buzzer emergency de	oor				+-	+
C3	Battery					C12	Emergency door	-				 	+
C4	Generator or alternator					C18	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn					C18	Marker lamps - rear					Ь—	
C20	Interior mirror	1				C19	Strobe light - rear ***					┼	
C6 C2	Speedometer Brakes				+	C17	Identification - rear Exhaust system (no I	oaks)				\vdash	+
C21	Driver seat belt				+	C5	Fuel tank	cans)				+-	+
C7	Steering gear				1	C7	Tires (2/32" rear - 4/3	32" front mir	n.)				+
C13	Fire extinguisher (5 lbs)						Cleanliness		,				
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest r					—	
C6	Heaters Wheelsheir forward feeing (neet 1993)				1		Shovel (securely fast	,				┼	+
*Page n	Wheelchair forward facing (post 1993) umber reference, Standards for School Buses in	Montana	(2002 Edi	tion) *	***Bus driv	ers are i	Axe (securely fastene	,	tter attache	d nearby	driver		
	not apply. ***New buses ordered after 08/15/02.*										diivoi.		
On fi	st inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
Not Approved Not Approved													
Inspecting Patrol Officer:		Inspe	cting Patrol Officer:										
Badge No. Date Badge N						Date							
		Date_					5 IVU.			Date			
Signa	ture of District Official					Date							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Roundup Public Schools** 33 Musselshell Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1T88L3B12T1136256 1996 50 Bus Type: (see ? for definition) Chassis Make Body Make ПА □в \Box C **✓** D Other **Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page Items listed in the Standards Items listed in the Standards No Page Yes No NA Yes NA Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C18 C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 Defroster C11 Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened)

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:	
Approved Approved			
Not Approved	☐ Not Approved		
Inspecting Patrol Officer:	ng Patrol Officer: Inspecting Patrol Officer:		
Badge No.	Date	Badge No.	Date
Signature of District Official		Date	

_



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Roundup Public Schools** 33 Musselshell Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 2GBHG31K6K4133839 1989 86 Bus Type: (see ? for definition) Chassis Make Body Make \square B \square C **✓** A \Box D Chevrolet **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: ✓ Gas Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



C20

C13

C13

C11

C6

C20

C6

Interior mirror

Speedometer

Driver seat belt

Fire extinguisher (5 lbs)

Wheelchair forward facing (post 1993)

Steering gear

Body fluids kit

First aid kit

Defroster

Heaters

Brakes

Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 33 Musselshell **Melstone Public Schools** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # **1BAADCSH8NF049328** 1992 106 Bus Type: (see ? for definition) Chassis Make Body Make ПА \square B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior C18 Turn signal lamps - front C21 Seating Turn signal lamps - side (post 1987) C18 C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:	On reinspection, this bus is:			
Approved		Approved		
Not Approved	■ Not Approved ■ Not Approved			
Inspecting Patrol Officer:		Inspecting Patrol Officer:		
Badge No Date		Badge No Date		
Signature of District Official		Date		

C19

C17

C22

C5

C4

Strobe light - rear ***

Exhaust system (no leaks)

Tires (2/32" rear - 4/32" front min.)

Required by forest regulation:

Shovel (securely fastened)

Axe (securely fastened)

Identification - rear

Fuel tank

Stop arm

Cleanliness

No trailer hitch



Inspecting Patrol Officer:

Signature of District Official

Date

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 33 Musselshell **Melstone Public Schools** Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** **1BAAHCSA0WF076712** 1998 107 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved

Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 33 Musselshell **Melstone Public Schools** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GBHC31F9X1156601 1999 139 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Melstone Public Schools** 33 Musselshell Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1GBL7T1C5WJ109600 146 1999 53 Bus Type: (see ? for definition) Chassis Make Body Make ПА □в ✓ C \Box D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: ☐ Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved

Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attached				
C18	Head lamps					C18	Interior lamps				
C10	Color					C18	Ceiling - interior				
C18	Turn signal lamps - front					C21	Seating				
C18	Turn signal lamps - side (post 1987)					C14	Floor				
C18	Red amber signals - front					C9	Aisle				
C18	Marker lamps - front					C22	Tools - storage				
C18	Windshield					C24	Windows				
C24	Windshield wipers					C13	Warning device				
C20	Exterior mirrors					C13	Buzzer emergency door				
C3	Battery					C12	Emergency door				
C4	Generator or alternator					C18	Red amber signals - rear				
C11	Service door					C18	Turn signal lamps - rear				
C6	Head lamp indicator					C18	Stop lamps				
C6	Horn					C18	Marker lamps - rear				
C20	Interior mirror					C19	Strobe light - rear ***				
C6	Speedometer					C17	Identification - rear				
C2	Brakes					C4	Exhaust system (no leaks)				
C21	Driver seat belt					C5	Fuel tank				
C7	Steering gear					C7	Tires (2/32" rear - 4/32" front min.)				
C13	Fire extinguisher (5 lbs)						Cleanliness				
C13	First aid kit					C22	Stop arm				
C13	Body fluids kit					C5	No trailer hitch				
C11	Defroster						Required by forest regulation:				
C6	Heaters						Shovel (securely fastened)				
C20	Wheelchair forward facing (post 1993)						Axe (securely fastened)				

*Page number reference, Standards for School Buses in Montana (2002 Edition). *****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver. **Does not apply. ***New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is: On reinspection, this bus is:

Approved		Approved					
Not Approved		Not Approved					
Inspecting Patrol Officer:		Inspecting Patrol Officer:					
Badge No.	Date	Badge No.	Date				
Bauge No.	Date	Bauge No.	Date				
Signature of District Official		Date					

TR-13 Revised 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highway Patrol as soon as all defects are corrected.														
	actions to OPI from School Districts bus has been sold, retired, or is no long		rice. Pl	ease de	elete it fr	om OPI	's records.							
	ase make corrections noted below. Don't							rection.						
OPI County # and County Name						District Name								
	33 Musselshe	II				Melstone Public Schools								
Vehic	le I.D. # (VIN) - Entire Number	•	Мо	odel Ye	ar	License # Rated Capacity *****								
	, ,				_									
01	4UZAAWBW82CJ72733			2002 175 Body Make			Dua Tura	pe: (see ? for definition)						
Chas	sis Make			l B	ody Ma	ке		, ,	,					
	Thomas					Th	omas	\square A	A \square B $ ot \!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$					
Whee	el Chair Lift Equipped?	Whe	Vheel Chair Lift Equipped?											
□ Y	es 🗹 No		☐ Forward Facing ☐ Aisle Facing ☑ Not Applicable											
	of Fuel:		Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is:											
• •		13 0	us. <u>V</u>	Distric	t Owner		ontractor Owned in C	Ontractor ov	viieu, co	illiacioi s	Hallie	3.		
□G	as ☑ Diesel ☐ Other													
	INSPECTION													
		TC	BE FI	LLED (OUT BY	THE HI	GHWAY PATROL							
This inspection is for: ☐ 1st semester ✓ 2nd semester														
			App	roved							Арр	roved		
Page	Items listed in the Standards	Yes	No	NA **	Corr	Page	Items listed in			Yes	No	NA **	Corr	
No.*	for School Buses in Montana Identification - front					No.*	for School Bus Belt cutter **** attach	ana			+	-		
C17	Head lamps					C18	Interior lamps				+	+		
C10	Color					C18	Ceiling - interior				+			
C18	Turn signal lamps - front		1			C21	Seating				†	+		
C18	Turn signal lamps - side (post 1987)					C14	Floor				1			
C18	Red amber signals - front					C9	Aisle				1			
C18	Marker lamps - front					C22	Tools - storage				Ί			
C18	Windshield					C24	Windows							
C24	Windshield wipers					C13	<u> </u>				_			
C20	Exterior mirrors					C13	ů ,							
C3 C4	Battery Congretor or elternator					C12 C18	<u> </u>				 			
C11	Generator or alternator Service door				1	C18					+	+		
C6	Head lamp indicator					C18	Ů Í				+			
C6	Horn					C18					+	+		
C20	Interior mirror					C19						+		
C6	Speedometer					C17					1	1		
C2	Brakes					C4	Exhaust system (no leaks)							
C21	Driver seat belt					C5	Fuel tank							
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mir	า.)			Ļ	_	
C13	Fire extinguisher (5 lbs)					000	Cleanliness			├	 			
C13	First aid kit				1	C22 C5	Stop arm					├	_	
C13	Body fluids kit Defroster					C5	No trailer hitch					+	-	
C11 C6	Heaters	1			1	Required by forest regulation: Shovel (securely fastened)							+	
C20 Wheelchair forward facing (post 1993)							Axe (securely fasten	,				+	+	
*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.														
	not apply. ***New buses ordered after 08/15/02.*													
On fi	rst inspection, this bus is:					On reinspection, this bus is:								
Approved						Approved								
Not Approved						Not Approved								
Inspecting Patrol Officer:						Inspecting Patrol Officer:								

Badge No.

Date

Date

Signature of District Official

TR-13 Revised 11/04